COSFORD RURAL DISTRICT, 1909,

In the Administrative County of West Suffolk.

Thirty-first Annual Report of the Medical Officer of Health

On the Health and Sanitary Condition of the Cosford Rural District of the Cosford Union, during the twelve months ending the 31st December, 1909.

(Fifteenth Annual Report to the Cosford District Council.)

Population (1891) 12354, (1901) 11618, (*Males* 5809, *Females* 5809).
Area 48572 *acres*. *Number of Persons per acre*, 0.2.
Number of Inhabited Houses, 2703. *Number of Persons per Inhabited House*, 4.2.

I. Births. There were **277** births registered during the year (127 males and 150 females), making a birth-rate of **23.8** per thousand of the population. The births and birth-rates during the past five years were as follows:—

	1905.	1906.	1907.	1908.	1909.
Births	283	284	267	273	277
Birth-rates	24.3	24.4	22.9	23.4	23.8

II. Deaths. The number of deaths from all causes was **154** (77 males and 77 females), making a death-rate of **13.2** per thousand of the population. The deaths and death-rates for the past five years were:—

	1905.	1906.	1907.	1908.	1909.
Deaths	138	171	183	152	154
Death-rates ...	11.8	14.7	15.7	13.0	13.2

Infantile Mortality. There were nineteen deaths among infants under one year of age, being 68.5 per thousand on the registered births. Seven of these occurred in the Hadleigh Division of the District, and twelve in the Lavenham Division. Eleven cases were due to premature birth, and two to accidents of parturition. The proportion of deaths under one year of age to births in the last five years was:—

1905.	1906.	1907.	1908.	1909.
63.6	95.0	108.6	69.5	68.5

The Notification of Births Act (1907) *has not been adopted in the district.*

Zymotic Diseases. There were only three deaths during the year due to zymotic diseases. They were—Diphtheria two, Whooping Cough one. The zymotic deaths and death-rates in the past five years were as follows:—

	Small pox.	Scarlet Fever.	Diphtheria.	Puerperal Fever.	Diarrhœa. Dysentery.	Typhoid Fever.	Measles.	Whooping Cough.	Epidemic Influenza.	Erysipelas.	Totals.	Death-rates.
1905	—	—	—	1	—	—	—	—	3	—	5	.7
1906	—	—	2	—	1	—	2	6	1	—	12	1.03
1907	—	—	—	—	—	1	1	6	4	1	13	1.1
1908	—	—	2	—	—	—	1	—	2	—	5	.4
1909	—	—	2	—	—	—	—	1	—	—	3	.2

Deaths from all other causes were **151**, or **12.9** per thousand of the population. The deaths in this district caused by the principal diseases, and death-rates during the past five years were:—

	Phthisis.	Bronchitis. Pleurisy. Pneumonia.	Heart Disease.	Injury.	Other Diseases.	Totals.	Death-rates.
1905 ...	10	13	15	3	93	133	11.1
1906 ...	8	24	24	6	97	159	13.6
1907 ...	14	21	25	4	106	170	14.6
1908 ...	6	15	18	2	106	147	12.6
1909 ...	11	21	20	7	92	151	12.9

III. The Infectious Disease (Notification) Act. The total number of cases of infectious diseases notified in this district during 1909 was **41**, or **3.5** per thousand of the population. The cases notified during the past five years were:—

	Smallpox.	Scarlet Fever.	Continued Fever.	Diphtheria.	Memb. Croup.	Typhoid Fever.	Puerperal Fever.	Erysipelas.	Totals.	Per Thousaand of Population.
1905	—	51	—	6	—	4	1	7	69	5.9
1906	—	4	—	10	—	—	—	2	16	1.3
1907	—	13	—	1	—	1	—	3	18	1.5
1908	—	7	—	3	—	1	—	2	13	1.1
1909	—	25	—	8	—	2	—	6	41	3.5

Small Pox. There were no cases of Small Pox in the district during the year.

Scarlet Fever. There were twenty-five cases of Scarlet Fever: fifteen at Whatfield, seven at Bildestone, two at Lavenham, one at Aldham. The Fever at Bildestone was introduced by a "holiday" child from London. I was not able to trace the origin of the outbreak at Whatfield. The first cases were amongst the children attending the elementary school. The cases were of a mild type. The schools were closed both at Bildestone and Whatfield. Isolation was carried out where possible, but the want of an Isolation Hospital was badly felt. The houses were afterwards in every instance disinfected by the Inspector of Nuisances.

Diphtheria. There were eight cases in all: five at Aldham (all in one family), and three at Polstead. The disease at Aldham was introduced by a son of the family, who had been in a military hospital with a sore throat, and came home to convalesce on his discharge. Shortly after diphtheria of a severe type broke out in the family, and two cases proved fatal. The three cases at Polstead were in different parts of the parish, and in no way connected with each other. One was in March, one in November, and one in December. Only one was a child attending the school. There were no sanitary defects about the houses, and the milk and water supplies were beyond suspicion. A good many of the children attending the school had had sore throats and not been medically attended. It is probable that some of these were mild cases of diphtheria.

Typhoid Fever. There were two cases—both at Lavenham—one in August, and the other in September. They were not connected with each other, and had a different water supply and milk supply.

Puerperal Fever. None.

Erysipelas. There were six cases of erysipelas: one at Groton, two at Kersey, and three at Lavenham.

Tuberculosis. There were eighteen deaths (eleven pulmonary), as compared with nine in the previous year. Four cases were notified under the "Public Health (Tuberculosis) Regulations, 1908." Each of these was visited and instructed as to the precautions to be taken to prevent infection. They were provided with proper spitting mugs and flasks, and, in fatal cases, the houses were afterwards disinfected.

Anthrax. There were no cases during the year.

IV. Water Supply. One new public well has been sunk at Polstead during the year. Otherwise there has been no alteration in the water supply. The parish of Hitcham alone has a good public supply, raised by wind with auxiliary steam power, from a deep well into a reservoir, and thence distributed by means of mains and standpipes. The other villages supplied with public wells in the district are Cockfield, Elmsett, Groton, Lindsey, Lavenham, Monks Eleigh, Polstead, and Whatfield. Those villages almost entirely dependent on ponds for their water supply are Aldham, Brettenham, Kettlebaston, Milden, Naughton, Nedging, Thorpe Morieux, Preston, and Wattisham.

Water Analysis. Nine samples of water have been analysed during the year, and two of them condemned as unfit for drinking.

V. Sewerage. A new pipe sewer has been laid at Bildestone in place of one of the old brick sewers which had got blocked. Only three villages in the district are provided with public sewers; namely, Boxford, Bildestone, and Lavenham. There is a public scavenger only at Lavenham, and the work has been satisfactorily carried out during the year.

VI. Houses and Cottages. Nine houses have been repaired during the year by order of the Council, and two cases of overcrowding abated. There has been no action taken under part 2 of the "Housing of the Working Classes" Act.

VII. Factory and Workshop Act. The factories and workshops were all inspected during the year. The factory of Mr. Oddy, at Lavenham (condemned last year), has now been provided with sufficient means of escape in case of fire. The premises of seventy-seven outworkers were inspected, sixty-six of whom are engaged in horsehair weaving, and eleven in tailoring, and all but one were found to be working under satisfactory conditions. The bakehouses are all above ground.

Section 22 of the Public Health Acts (Amendment) Act, 1890, has not been adopted by the Council.

VIII. Contagious Diseases (Animals) Act. Dairies, Cowsheds, and Milkshops Order. There are no milkshops in the district. There were four more dairymen, cowkeepers, and purveyors of milk registered during the year, in addition to the eight already on the register. There are now — one at Boxford, one at Bildestone, one at Edwardstone, one at Hitcham, two at Polstead, two at Whatfield, three at Lavenham, and one at Thorpe Morieux. With the exception of the one at Thorpe, and one at Whatfield, all the milk is consumed in the district. They have all been inspected one or more times during the year, and found satisfactory. The cows are all turned out to grass.

It is difficult to know exactly who ought to register under the Act, as the milk supply of the district is largely in the hands of people keeping only two or three cows, who sell milk at their own doors; generally to people in the same village.

IX. Slaughter Houses. Two were ordered to be cleaned and lime-washed.

X. Isolation Hospital. None.

XI. Schools. All the schools were inspected during the year. Bildestone School was closed once, and Whatfield twice, on account of Scarlet Fever.

XII. Sanitary Inspection. Report of Mr. Scrivener, Inspector of Nuisances. "A house-to-house inspection of the district was carried out, and 163 notices were served for abatement of nuisances, a list of which in the various parishes is given in the Table at the end of this Report: 155 of these nuisances have been abated. Twenty-four houses were disinfected."

XIII. Special Reports. None.

The Tabular Statements of sickness and mortality in the district, according to the forms supplied by the Local Government Board, are appended to this Report. Also a Tabular Statement according to a form required by the West Suffolk County Council.

ALFRED THOMPSON,

Medical Officer of Health.

TABLE I.—Cosford Rural District.

For Whole District.

Year.	Population estimated to middle of each year.	Births.		Deaths under One Year of age.		Deaths at all Ages. Total.		Deaths in Public Institutions.
		Number.	Rate*	Number.	Rate per 1000 Births registered.	Number.	Rate*	
1	2	3	4	5	6	7	8	9
1899 ...	12354	310	25.0	25	80.6	167	13.5	16
1900 ..	...	325	26.3	35	107.6	196	15.8	19
1901	11618	327	28.1	35	107.0	179	15.4	17
1902 ...	...	278	23.9	36	129.4	194	16.6	19
1903 ...	...	282	24.2	34	120.5	169	14.5	10
1904 ...	..	281	24.1	30	106.7	169	14.5	13
1905 ...	...	283	24.3	18	63.6	138	11.8	19
1906 ...	...	284	24.4	27	95.0	171	14.7	14
1907 ..	...	267	22.9	29	108.6	183	15.7	12
1908 ...	...	273	23.4	19	69.5	152	13.0	9
Averages for years 1899 to 1908...	...	291.0	24.6	28.8	98.8	171.8	14.5	14.8
1909 ...	11618	277	23.8	19	68.5	154	13.2	14

* Rates calculated per 1,000 of estimated population.

At Census of 1901—

Area of District in Acres (inclusive of area covered by water) ... 48572
Total Population at all ages 11618
Number of Inhabited Houses 2703
Average Number of Persons per house 4.2

TABLE II.—Cosford Rural District.

Names of Localities.	1. WHOLE DISTRICT.				2. HADLEIGH DIVISION.				3. LAVENHAM DIVISION.			
YEAR.	Population estimated to middle of each year.	Births registered.	Deaths at all Ages.	Deaths under one year.	Population estimated to middle of each year.	Births registered.	Deaths at all Ages.	Deaths under one year.	Population estimated to middle of each year.	Births registered.	Deaths at all Ages.	Deaths under one year.
	a	*b.*	*c.*	*d.*	*a.*	*b.*	*c.*	*d.*	*a.*	*b.*	*c.*	*d.*
1899 .	12354	310	167	25	4483	103	62	7	7871	207	115	18
1900 ..	...	325	196	35	..	134	70	10	...	191	126	25
1901 .	11618	327	179	35	4737	130	68	11	6881	197	111	24
1902 ...	..	278	194	36	...	103	89	16	..	175	105	20
1903 ..	..	282	169	34	..	115	53	8	...	167	106	26
1904 ..	.	281	169	30	...	103	62	8	..	178	107	22
1905 ...	...	283	138	18	...	108	55	3	...	175	83	15
1906 ..	...	284	171	27	...	109	64	8	...	175	107	19
1907 ..	...	267	183	29	...	94	65	7	...	173	118	22
1908 ..	.	273	152	19	...	88	67	6	...	185	85	13
Averages of years 1899 to 1908 ...	..	291.0	171.8	28.8	...	108.7	65.5	8.4	...	182.3	106.3	20.4
1909	11618	277	154	19	4737	99	69	7	6881	178	85	12

TABLE III.—Cases of Infectious Disease notified during the year 1909.

Notifiable Disease.	Cases notified in Whole District.							Tot'l cases notified in each locality.		
	At all ages.	At ages—Years.								
		Under 1.	1 to 5.	5 to 15	15 to 25.	25 to 65.	65 and upw'ds	1	2	3
Small-pox	..	..	..	..	..	..	.	.	..	..
Cholera	..	..	..	..	..	..	..	..	..	..
Diphtheria (incl'di'g Membranous Croup)	8	..	2	3	2	1	..	8	8	..
Erysipelas	6	..	..	..	1	5	..	6	3	3
Scarlet Fever ..	25	..	4	17	3	1	..	25	16	9
Typhus Fever ..	..	..	..	..	..	..	..		..	..
Enteric Fever ..	2	..	..	1	..	1	..	2	.	2
Relapsing Fever ..	..	..	..	..	..	..	..	.	..	..
Continued Fever ..	..	..	..	..	..	..	..	..	..	..
Puerperal Fever ..	..	..	..	..	..	..	..	..	..	..
Plague	..	..	..	..	..	..	..	..	.	...
Totals ..	41	..	6	21	6	8	..	41	27	14

ISOLATION HOSPITAL ... NONE.

TABLE V.—Cosford Rural District.

Infantile Mortality during the year 1909.

Deaths from stated Causes in Weeks and Months under One Year of Age.

Cause of Death.	Under 1 Week	1-2 Weeks.	2-3 Weeks.	3-4 Weeks.	Total under 1 Mth.	1-2 Months.	2-3 Months.	3-4 Months.	4-5 Months.	5-6 Months.	6-7 Months.	7-8 Months.	8-9 Months.	9-10 Months.	10-11 Months.	11-12 Months.	Total Deaths under 1 year.
All causes:																	
Certified	10	..	2	1	13	...	...	...	2	1	...	1	.	1	.	1	19
Uncertified	.	..		..	...	...	...	...	..		...	...	...	...	.	...	...
Common Infectious Diseases																	
Small-pox	..	.	.	.	..	..	..	...	...	..	...	.	..	..	..	.	...
Chicken-pox	.	...	.	.	.	.	...	...		.	...	..	.	...	...		..
Measles	..	..	...	.	.	..	...	...	...	...	..	..				.	..
Scarlet Fever	...	...	..	...	.	.	...	...	...	...	...	...	...	.	...	.	...
Diphtheria: Croup ...	...	..	...	..	..	...	.	...	...	...	...	...	...	..			...
Whooping Cough ..	..	...	...	...	..	...	.	...	..	...	...	...	...	.	.	...	..
Diarrhœal Diseases:																	
Diarrhœa, all forms ..	...	.	...	..	..	...	..	...	...	...	..	..	.	...	...	..	...
Enteritis (*not tuberculous*)		...	..	..	..	...	...	...	...	..	...	...	...	...	...	.	...
Gastritis, Gastro-intestinal	.	..	...	...	...	...	...	...	...	..	...	...	...		..	...	...
Catarrh	...	...	...	...	..	...	...	...	...	...	...	...	..	..	...	...	...
Wasting Diseases:																	
Premature Birth ...	8	...	2	...	10	...	...	..	1	...	...	..	.	..	..	...	11
Congenital Defects ...	...	...	...	.	.	...	...	...	...	...	...	..	...	...	...	..	...
Injury at Birth	1	...	...	...	1	...	...	...	...	...	...	.	...	...	...	..	1
Want of Breast-milk ...	..	...	...	..	...	...	...	..	...	..	..	...	...	...	...	...	...
Atrophy, Debility, Marasmus	...	...	..	1	1	..	..	...	...	...	..	1	...	1	...	..	3
Tuberculous Diseases:																	
Tuberculous Meningitis ...	..	...	.	..	...	...	..	...	1	...	...	..	...	...	...	...	1
Tuberculous Peritonitis:																	
Tabes Mesenterica ...	..	...	...	..	...	...	...	...	...	...	...	...	...	...	...	..	...
Other Tuberculous diseases	...	...	...	...	..	...	..	..	...	...	...	...	...	...	...	...	
Erysipelas	...	...	...	.	..	...	..	...	...	...	...	...	...	.	...		...
Syphilis	...	...	..	...	..	.	...	...	...	...	..	...	..	...	...	...	...
Rickets	...	...	..	...	...	...	...	..	...	..	..	...	...	...	...	...	...
Meningitis (*not Tuberculous*)	...	..	...	...		...	...	...	...	...	...	...	...	...	...	...	...
Convulsions	...	...	...	..	...	...	...	...	..	...	...	...	...	...	...	1	1
Bronchitis	...	...	...	...	...	...	...	...	...	...	.	..	...	...	...	..	...
Laryngitis	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Pneumonia	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	..	...
Suffocation, Overlying ...	...	...	.	...	...	...	...	...	..	...	...	...	...	...	...	...	...
Other causes	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	2
	10	...	2	1	13	..	...	...	2	1	...	1	...	1	...	1	19

District (or Sub-division) of Cosford Rural District.

Births in the Year { legitimate... / illegitimate } .. 277

Deaths from all causes at all ages ... 19

Population, estimated to middle of 1909 11618

TABLE IV.—Cosford Rural District.

Causes of, and Ages at, Death during year 1909.

Cause of Death.	Deaths in whole district at subjoined ages.							Deaths in Localities. (at all ages.)			Deaths in Public Institutions.
	All ages.	Under 1 year.	1 & under 5.	5 and under 15.	15 and under 25.	25 and under 65.	65 and upwards.	1	2	3	
Small-pox	..	..	..	..	.	..	..	..	..	..	..
Measles	..	..	..	..	..	..	..	..	..	..	..
Scarlet Fever.. ..	..	..	..	..	..	..	..	..	..	..	..
Whooping-cough ..	1	..	1	..	..	..	..	1	..	..	1
Diphtheria and Membranous Croup ..	2	..	1	1	..	..	..	2	2	.	..
Croup	..	..	..	..	..	..	..	..	..		..
Fever { Typhus ..	..	..	..	..	..	..	..	..	..	..	..
Fever { Enteric	..	..	..	..	..	..	..	..	..		..
Fever { other continued	..	..	..	..	..	..	.	..	..		..
Epidemic influenza ..	..	..	.	..	..	..	..	..	..	..	..
Cholera	..	..	..	..	..	..	..	..	..	..	..
Plague	..	..	..	..	..	..	..	..	..	..	..
Diarrhœa	..	..	..	..	..	..	..	..	..	..	..
Enteritis	..	..	..	..	..	..	..	..	..	..	..
Puerperal Fever ..	..	..	..	..	..	..	..	..	..	..	..
Erysipelas	..	..	..	..	..	..	..	..	..	..	..
Other Septic Diseases	1	..	..	..	1	..	..	1	..	..	1
Phthisis	11	..	..	1	1	8	1	11	2	9	..
Other tubercular diseases	7	1	1	2	..	2	1	7	1	6	..
Cancer, malignant disease	6	..	..	..	..	3	3	6	4	1	1
Bronchitis	14	..	2	..	..	2	10	14	3	11	..
Pneumonia	7	..	..	2	1	2	2	7	2	4	1
Pleurisy	..	..	..	..	..	..	..	..	..	..	..
Other Diseases of Respiratory Organs ..	1	..	..	..	..	1	..	1	..	1	.
Alcoholism .. } Cirrhosis of Liver } ..	3	..	..	..	..	3	..	3	1	2	..
Venereal Diseases ..	..	..	..	..	..	..	..	..	..	..	..
Premature Birth ..	11	11	..	..	..	..	..	11	5	6	..
Diseases and Accidents of Parturition ..	2	1	..	..	..	1	..	2	1	1	..
Heart Diseases ..	20	..	..	1	..	6	13	20	9	9	2
Accidents	6	2	..	1	1	1	1	6	3	3	..
Suicides	1	..	..	..	..	..	1	1	1	..	..
All other causes ..	61	4	3	2	1	12	39	61	20	33	8
All causes ..	154	19	8	10	5	41	71	154	54	86	14

Cosford Rural District

In the Administrative County of
West Suffolk.

1909.

Thirty-first Annual Report

OF THE

Medical Officer of Health,

BY

ALFRED THOMPSON, L.R.C.P., Lond., M.R.C.S., Eng.

(Fifteenth Annual Report to the Cosford Rural District Council.)

MARTEN & SON, SUDBURY.

Sanitary Statistics of Cosford Rural District, for the Year 1909.

SUBJECTS.	Aldham	Bildeston	Boxford	Brent Eleigh	Brettenham	Chelsworth	Cockfield	Edwardstone	Elmsett	Groton	Hadleigh Hamlet	Hitcham	Kersey	Kettlebaston	Lavenham	Layham	Lindsey	Milden	Monks Eleigh	Naughton	Nedging	Polstead	Preston	Semer	Thorpe Morieux	Wattisham	Whatfield	Workhouse	Total.
Acreage	1755	1171	1325	1684	1438	877	3626	1891	1992	1560	427	4308	1510	1041	2808	2531	1230	1343	2099	980	856	3414	2006	1242	2497	1272	1599	...	48572
Population—1901	238	788	612	182	273	199	854	416	361	358	183	755	482	129	2018	464	221	152	553	142	171	669	288	‡182	370	149	317	92	11618
1891	228	736	682	221	336	227	926	420	434	437	191	874	482	120	1908	542	253	160	547	144	200	745	318	‡189	385	178	365	116	12354
Births—	4	20	10	3	6	7	29	7	7	10	7	17	12	5	45	7	4	4	15	7	16	7	3	9	4	4	7	5	277
1909—Rate per 1000	16.8	25.3	16.3	16.4	21.9	35.1	33.9	16.8	19.3	27.9	38.2	22.5	24.9	28.7	22.2	15.0	18.0	26.3	27.1	...	40.9	23.9	24.3	16.4	24.3	26.8	22.0	54.3	23.8
1908—Rate per 1000	12.6	30.4	21.2	43.9	40.2	20.1	29.2	19.2	27.7	13.9	16.3	35.7	10.3	7.7	21.3	12.9	4.5	6.5	21.6	21.1	23.5	34.7	16.4	35.1	13.4	13.4	18.9	54.3	23.4
I. Deaths, Zymotic—	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
Rate per 1000 ...	8.4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
,, From other Causes ...	1	7	9	2	3	...	7	7	3	2	1	17	5	...	26	4	...	2	9	4	3	8	3	4	4	2	5	13	2
Rate per 1000 ...	4.2	8.8	14.7	10.9	10.9	...	8.1	16.8	8.3	5.5	5.4	22.5	10.3	...	8.6	8.6	...	13.1	16.2	28.1	17.5	11.9	10.4	21.9	10.8	13.4	15.7	141.3	151
Total	3	7	9	2	3	...	7	7	3	2	1	17	5	...	26	4	...	2	9	4	3	8	3	4	4	2	5	14	154
1909—Rate per 1000 ...	12.6	8.8	14.7	10.9	10.9	...	8.1	16.8	8.3	5.5	5.4	22.5	10.3	...	12.8	8.6	...	13.1	16.2	28.1	17.5	11.9	10.4	21.9	10.8	13.4	15.7	152.1	13.2
1908—Rate per 1000	...	8.8	14.3	21.9	21.9	5.0	8.1	4.8	11.0	8.3	5.4	9.2	12.4	...	12.8	12.9	22.6	13.1	14.4	35.2	11.6	19.4	10.4	5.4	24.3	26.8	9.4	97.8	13.0
II. Infectious Diseases— *(Notification Act.)*																													
Cholera	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Croup	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	8
Diphtheria	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6
Erysipelas	...	...	...	...	...	...	...	...	...	1	...	...	2	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Puerperal Fever...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	15	...	25
Scarlet Fever	1	7	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	2
Small Pox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Typhoid Fever	...	...	...	...	...	...	...	...	...	...	...	...	2	...	7	...	...	...	...	...	...	3	...	...	...	...	15	...	41
Typhus and other Fevers Total ...	6	7	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	1
IV. Water Supply*	...	1	...	...	1	...	5	...	...	...	...	12	...	...	4	...	2	...	2	5	1	10	...	2	1	4	6	...	31
Sanitary Inspection†	...	15	16	2	3	2	12	5	5	6	3	9	4	4	20	3	3	2	20	5	1	10	...	1	1	4	6	...	163

*Public Supply. †Notices Issued. ‡ Excludes population of Workhouse. See column "Workhouse."